

WEST Search History

DATE: Sunday, September 18, 2005

Hide?	<u>Set</u> <u>Name</u>	<u>Query</u>	<u>Hit</u> <u>Count</u>
	<i>DB=PGPB,USPT; PLUR=YES; OP=ADJ</i>		
<input type="checkbox"/>	L20	6396907[pn]	1
<input type="checkbox"/>	L19	(threshold\$ or baseline or (base line)) same (cach\$ or buffer\$ or stor\$ or memor\$ or fifo or rom or eprom or eeprom or nonvolatile) same proxy same (messag\$ or email\$ or e-mail\$ or (electronic mail\$))	23
<input type="checkbox"/>	L18	(threshold\$ or baseline or (base line)) same (cach\$ or buffer\$ or stor\$ or memor\$ or fifo or rom or eprom or eeprom or nonvolatile) same proxy same ((messag\$ or email\$ or e-mail\$ or (electronic mail\$)) near2 (siz\$ or large\$ or amount))	0
	<i>DB=EPAB,DWPI; PLUR=YES; OP=ADJ</i>		
<input type="checkbox"/>	L17	(threshold\$ or baseline or (base line)) same (cach\$ or buffer\$ or rom or eprom or eeprom or nonvolatile) same proxy	1
<input type="checkbox"/>	L16	(threshold\$ or baseline or (base line)) same (cach\$ or buffer\$ or rom or eprom or eeprom or nonvolatile) same proxy same server	0
<input type="checkbox"/>	L15	(threshold\$ or baseline or (base line)) same (cach\$ or stor\$ or memor\$ or rom or eprom or eeprom or nonvolatile) same ((messag\$ or email\$ or e-mail\$ or (electronic mail\$)) near2 (siz\$ or large\$ or amount))	9
<input type="checkbox"/>	L14	fast adj path adj (mta or (messag\$ adj transfer\$ adj agent))	1
	<i>DB=PGPB,USPT; PLUR=YES; OP=ADJ</i>		
<input type="checkbox"/>	L13	20030135573	1
<input type="checkbox"/>	L12	fast adj path adj (mta or (messag\$ adj transfer\$ adj agent))	1
<input type="checkbox"/>	L11	L10 same agent	9
<input type="checkbox"/>	L10	(threshold\$ or baseline or (base line)) same (cach\$ or stor\$ or memor\$ or rom or eprom or eeprom or nonvolatile) same ((messag\$ or email\$ or e-mail\$ or (electronic mail\$)) near2 (siz\$ or large\$ or amount))	98
<input type="checkbox"/>	L9	(5577226 or 5606681)[pn]	2
<input type="checkbox"/>	L8	L7 and l4	24
<input type="checkbox"/>	L7	(threshold\$ or baseline or (base line)) same agent same (cach\$ or stor\$ or memor\$ or rom or eprom or eeprom or nonvolatile) same (messag\$ or email\$ or e-mail\$ or (electronic mail\$))	176
<input type="checkbox"/>	L6	(threshold\$ or baseline or (base line)) near12 cach\$ near12 (messag\$ or email\$ or e-mail\$ or (electronic mail\$))	13
<input type="checkbox"/>	L5	l1 and l4	5
<input type="checkbox"/>	L4	(709/206 or 709/207 or 709/202).ccls.	4428
<input type="checkbox"/>	L3	L1 same (alternat\$ or secondary or overflow\$ or (over flow\$))	7
<input type="checkbox"/>	L2	L1 same (overflow\$ or (over flow\$))	0
<input type="checkbox"/>	L1	cach\$ near12 (threshold\$ or baseline or (base line) or level) near12 (messag\$ or email\$ or e-mail\$ or (electronic mail\$))	169



[Advanced Scholar Search](#)
[Scholar Preferences](#)
[Scholar Help](#)

The "AND" operator is unnecessary – we include all search terms by default. [\[details\]](#)

Scholar

 Results 1 - 10 of about **2,770** for **proxy and cache and threshold and size**. (0.09 seconds)

[PS] Main Memory Caching of Web Documents

EP Markatos, H Crete - WWW5 / Computer Networks, 1996 - pads1.cs.nthu.edu.tw

... able to choose (almost) the optimal **threshold** value needed ... known caches include the Harvest hierarchical **Cache** [4], the ... of them are based on **proxy** servers that ...

[Cited by 89](#) - [View as HTML](#) - [Web Search](#) - [www5conf.inria.fr](#) - [il.uib.no](#) - [archvlsi.cs.forth.gr](#) - [all 10 versions](#) »

Cost-Aware WWW Proxy Caching Algorithms

P Cao, S Irani - USENIX Symposium on Internet Technologies and Systems, 1997 - unix.org

... traces narrowed down the choice for **proxy** replacement ... performs better than LRU, LRU-**threshold**, Log **size** ... outperform LRU slightly when the **cache size** is very ...

[Cited by 474](#) - [Web Search](#) - [cecs.uci.edu](#) - [cse.iitb.ac.in](#) - [nclab.kaist.ac.kr](#) - [all 20 versions](#) »

Study of Piggyback Cache Validation for Proxy Caches in the World Wide Web

B Krishnamurthy, CE Wills - USENIX Symposium on Internet Technologies and Systems, 1997 - unix.org

... granularity of the expiration time **threshold** without need ... have yielded a 30-50 **proxy cache** hit rate 1 ... be used resulting in close to strong **cache** coherency while ...

[Cited by 78](#) - [Web Search](#) - [unix.org](#) - [cs.wpi.edu](#) - [research.att.com](#)

Replacement policies for a proxy cache

L Rizzo, L Vicisano - IEEE/ACM Transactions on Networking, 2000 - ieeeexplore.ieee.org

... Below this **threshold**, differences in **size** do not ... shows the percentage of bytes transferred versus **size**. ... AND VICISANO: REPLACEMENT POLICIES FOR A **PROXY CACHE** ...

[Cited by 113](#) - [Web Search](#) - [portal.acm.org](#) - [info.iet.unipi.it](#) - [cs.ucl.ac.uk](#) - [all 10 versions](#) »

Optimal Proxy Cache Allocation for Efficient Streaming Media Distribution

B Wang, S Sen, M Adler, D Towsley - IEEE Transactions on Multimedia, 2004 - ieeeexplore.ieee.org

... i) is used in Section III to determine the **proxy cache** allocation ... L i), video i is transmitted from the server (**proxy**) using unicast ... prefix suffix **threshold** ...

[Cited by 54](#) - [Web Search](#) - [it.iitb.ac.in](#) - [cs.umass.edu](#) - [cchen2.et.ntust.edu.tw](#) - [all 14 versions](#) »

[PS] Replacement policies for a proxy cache

P Lorenzetti, L Rizzo, L Vicisano, D di Ingegneria ... - Techn. Report LR-960731, Univ. di Pisa, available at: <http://iet.unipi.it>

... The browser's **cache** has a limited **size** and it is only used by a single client ... A second-level **cache** is provided by caching **proxy** servers (proxies ...

[Cited by 46](#) - [View as HTML](#) - [Web Search](#) - [info.iet.unipi.it](#) - [iet.unipi.it](#)

Performance evaluation of Web proxy cache replacement policies

MF Arlitt, R Friedrich, T Jin, WW Web - Performance Evaluation, 2000 - springerlink.com

... 2. We chose 5% as a **threshold** after an in-depth ... focus on the characteristics that we feel could impact **proxy** performance and **cache** replacement decisions ...

[Cited by 51](#) - [Web Search](#) - [hpl.hp.com](#) - [ingentaconnect.com](#) - [all 10 versions](#) »

[PS] World Wide Web Cache Consistency

J Gwertzman, MI Seltzer - USENIX Annual Technical Conference, 1996 - unix.org

... average week day, the Microsoft **proxy cache** server receives ... represents the case where the **cache** checks with ... this unnecessary, since an update **threshold** as low ...

[Cited by 220](#) - [Web Search](#) - [ihome.ust.hk](#) - [citeseer.csail.mit.edu](#) - [ce.sejong.ac.kr](#) - [all 13 versions](#) »



proxy and cache and threshold and overflow

Search

[Advanced Scholar Search](#)
[Scholar Preferences](#)
[Scholar Help](#)

The "AND" operator is unnecessary -- we include all search terms by default. [\[details\]](#)

Scholar Results 1 - 10 of about 293 for **proxy and cache and threshold and overflow**. (0.06 seconds)

Proxy Caching That Estimates Page Load Delays

RP Wooster, M Abrams - WWW6 / Computer Networks, 1997 - decweb.ethz.ch

... cached documents reaches a certain **threshold** of the ... a hash-indexed array with **overflow** buckets to ... The modifications for Harvest **proxy cache** (version 1.4 patch ...

Cited by 146 - [Cached](#) - [Web Search](#) - [cs.vt.edu](#) - [portal.acm.org](#) - [all 5 versions](#) »

Least Popularity-per-Byte Replacement Algorithm for a Proxy Cache

K Kim, D Park - ICPADS, 2001 - doi.ieeecomputersociety.org

... list to 10000 requests and put the **threshold** value to ... We assume that the **proxy cache** is located alone between ... any ICP packet and any other **cache** inter- actions ...

Cited by 1 - [Web Search](#) - [doi.ieeeecs.org](#) - [ieeexplore.ieee.org](#)

Design a Progressive Video Caching Policy for Video Proxy Servers

W Ma, DHC Du - IEEE Transactions on Multimedia, 2004 - ieeexplore.ieee.org

... A **threshold** may be set to only **cache** the objects under this **threshold**. ... 1) We consider progressive video caching in which the **proxy** has several options ...

Cited by 7 - [Web Search](#) - [ieeexplore.ieee.org](#)

The dark side of the web: An open proxy's view

VS Pai, L Wang, K Park, R Pang, L Peterson - Proceedings of HotNets-II, 2003 - portal.acm.org

... ports above the protected port **threshold** of 1024 ... re- motely test known buffer **overflow** problems, URL ... accept requests from other proxies and one **proxy cache** open to ...

Cited by 16 - [Web Search](#) - [eecs.cwru.edu](#) - [nms.lcs.mit.edu](#) - [codeen.cs.princeton.edu](#) - [all 9 versions](#) »

Neural nets based predictive prefetching to tolerate WWW latency

TI Ibrahim, CZ Xu - 20 th International Conference on Distributed Computing ..., 2000 - doi.ieeeecs.org

... a smart browser or an intelligent local **proxy** server. ... the list if they are below the minimum weight **threshold**. ... Control for the Keyword List and Pre-fetch **Cache** ...

Cited by 15 - [Web Search](#) - [doi.ieeecomputersociety.org](#) - [ece.eng.wayne.edu](#) - [i2pi.com](#) - [all 9 versions](#) »

On Design of Adaptive Internet Streaming Applications: An Architectural Perspective

R Rejaie - IEEE International Conference on Multimedia and Expo (I), 2000 - ieeexplore.ieee.org

... This **threshold** is application-specific and mostly depends on the ... the stream at a multimedia **proxy cache** for quality ... and result in buffer **overflow** or underflow. ...

Cited by 3 - [Web Search](#) - [ieeexplore.ieee.org](#)

A Web Proxy Server with an Intelligent Prefetcher for Dynamic Pages Using Association Rules

A Pandey, J Srivastava, S Shekhar - Univ. Minnesota, Comput. Sci. Eng. Dept., Twin Cities, Tech. ..., 2001 - [www-users.cs.umn.edu](#)

... of the client, prefetches pages, and performs **cache** management according ... second group of models, the **Proxy** acts as ... 10's list and access **threshold** to optimize ...

Cited by 5 - [View as HTML](#) - [Web Search](#) - [www-users.cs.umn.edu](#)

Cooperative Caching of Dynamic Content on a Distributed Web Server

V Holmedahl, B Smith, T Yang - HPDC, 1998 - doi.ieeecomputersociety.org

... The **threshold** needs to be selected carefully, based on ... as possible, ie at a **proxy** server rather ... is going to suffer considerably from **cache overflow**, having to ...

Cited by 65 - [Web Search](#) - [cs.ucsb.edu](#) - [cse.iitb.ac.in](#) - [hpc.serc.iisc.ernet.in](#) - [all 15 versions](#) »

Searching for **proxy and cache and threshold and size**.

Restrict to: [Header](#) [Title](#) Order by: [Expected citations](#) [Hubs](#) [Usage](#) [Date](#) Try: [Google \(CiteSeer\)](#)
[Google \(Web\)](#) [Yahoo!](#) [MSN](#) [CSB](#) [DBLP](#)

23 documents found. **Order: number of citations.**

[Cost-Aware WWW Proxy Caching Algorithms - Cao, Irani \(1997\) \(Correct\) \(268 citations\)](#)

Cost-Aware WWW **Proxy** Caching Algorithms Pei Cao Sandy Irani

cao@cs.wisc.edu irani@ics.uci.edu Abstract Web **caches** can not only reduce network traffic and
www.cs.wisc.edu/~cao/papers/gd-size.ps.Z

One or more of the query terms is very common - only partial results have been returned. Try [Google \(CiteSeer\)](#).

[The Case for Geographical Push-Caching - Gwertzman, Seltzer \(1995\) \(Correct\) \(191 citations\)](#)

does not help a neighboring computer, and a campus **proxy** does not help a neighboring campus. Furthermore, client initiated. Decisions on when and where to **cache** information are made without the benefit of the
 When the demand for a file exceeds a replication **threshold**, the server replicates it. We are using
www.tns.lcs.mit.edu/~djw/library/seltzer.hotos.95.ps.gz

[Removal Policies in Network Caches for World-Wide Web .. - Williams, Abrams.. \(1996\) \(Correct\) \(185 citations\)](#)

fabdulla,foxg@cs.vt.edu Abstract World-Wide Web **proxy** servers that **cache** documents can potentially
 Removal Policies in Network **Caches** for World-Wide Web Documents Stephen Williams,
ei.cs.vt.edu/~succeed/96sigcomm/96sigcomm.ps.gz

[Potential benefits of delta encoding and data compression for HTTP - Mogul, al. \(1997\) \(Correct\) \(140 citations\)](#)

squeeze as much benefit as possible from client and **proxy caches**. Rather than treating an entire response changes. The model also provides no way to update a **cache** entry if a resource does change, except by
ftp.digital.com/%7emogul/sigcomm97.ps.gz

[Web Prefetching Between Low-Bandwidth Clients and Proxies.. - Li Fan \(1999\) \(Correct\) \(55 citations\)](#)

proxies and browsers. The approach relies on the **proxy** to predict which **cached** documents a user might
 The approach relies on the **proxy** to predict which **cached** documents a user might reference next, and takes
bbcr.uwaterloo.ca/~brecht/courses/756/readings/new/prefetching-limits-SIGMETRICS99.ps

[TCP Fast Start: A Technique For Speeding Up Web Transfers - Venkata Padmanabhan \(1998\) \(Correct\) \(49 citations\)](#)

with a partial deployment (for instance, at a Web **proxy**) This provides a convenient path for incremental Web transfers. The basic idea is that the sender **caches** network parameters to avoid paying the slow start possibility of caching the "congestion avoidance **threshold**" without offering details [6] TCP control
www.cs.columbia.edu/~hgs/InternetTC/GlobalInternet98/Padm9811_TCP.ps.gz

[Cooperative Caching of Dynamic Content on a Distributed Web .. - Holmedahl, Smith, Yang \(1998\) \(Correct\) \(20 citations\)](#)

for a significant portion of the response time. Web **proxy** caching is effective because it reduces the called Swala, in which the nodes cooperatively **cache** the results of CGI requests, and the **cache**
www.cs.ucsb.edu/~tyang/papers/hpdc7swala.ps

[Autonomous Replication in Wide-Area Internetworks - Gwertzman \(1995\) \(Correct\) \(18 citations\)](#)

vs. Push-caching :60 5.6 **Proxy**-caching vs. Push-caching :
 client initiated. Decisions on where and when to **cache** information are made without the benefit of the
deas-ftp.harvard.edu/techreports/tr-17-95.ps.gz

[Trace-Driven Simulation of Document Caching Strategies for.. - Arlitt, Williamson \(1996\) \(Correct\) \(17 citations\)](#)

on local disk) or within the network (e.g. at a **proxy** server or network **cache**, in memory or on disk) traces considered. **Thresholding** policies and **cache** partitioning policies for Internet Web servers do
bbcr.uwaterloo.ca/~brecht/courses/756/readings/web/server-caching-SIMULATION97.ps

[Static Caching in Web Servers - Tatarinov, Rousskov, Soloviev \(1997\) \(Correct\) \(12 citations\)](#)



Welcome United States Patent and Trademark Office

Search Results

[BROWSE](#)[SEARCH](#)[IEEE XPLORE GUIDE](#)

Results for "(((cache or buffer) and threshold and overflow and size)<ln>metadata)"

e-mail

Your search matched 5 of 1235066 documents.

A maximum of 100 results are displayed, 25 to a page, sorted by Relevance in Descending order.

» Search Options

[View Session History](#)[New Search](#)

Modify Search

(((cache or buffer) and threshold and overflow and size)<ln>metadata)

☐ Check to search only within this results set

» Key

Display Format: ☒ Citation ☐ Citation & Abstract

IEEE JNL IEEE Journal or Magazine

IEEE JNL IEE Journal or Magazine

IEEE CNF IEEE Conference Proceeding

IEEE CNF IEE Conference Proceeding

IEEE STD IEEE Standard

Select Article Information

- ☐ 1. **Analysis of a threshold priority queueing system with applications to ATM**
Battou, A.; Nguyen, G.;
Local Computer Networks, 1994. Proceedings., 19th Conference on
2-5 Oct. 1994 Page(s):298 - 306
Digital Object Identifier 10.1109/LCN.1994.386590
[AbstractPlus](#) | Full Text: [PDF](#)(436 KB) IEEE CNF
- ☐ 2. **On overflow and underflow problems in buffer-instrumented variable-length fixed-rate memoryless sources (Corresp.)**
Farvardin, N.; Modestino, J.;
Information Theory, IEEE Transactions on
Volume 32, Issue 6, Nov 1986 Page(s):839 - 845
[AbstractPlus](#) | Full Text: [PDF](#)(1000 KB) IEEE JNL
- ☐ 3. **FDA: a novel base station flow control scheme for TCP over heterogeneous networks**
Jian-Hao Hu; Yeung, K.L.;
INFOCOM 2001. Twentieth Annual Joint Conference of the IEEE Computer and Communications Societies. Proceedings. IEEE
Volume 1, 22-26 April 2001 Page(s):142 - 151 vol.1
Digital Object Identifier 10.1109/INFCOM.2001.916696
[AbstractPlus](#) | Full Text: [PDF](#)(288 KB) IEEE CNF
- ☐ 4. **Using adaptive rate estimation to provide enhanced and robust transport over heterogeneous networks**
Ren Wang; Valla, M.; Sanadidi, M.Y.; Gerla, M.;
Network Protocols, 2002. Proceedings. 10th IEEE International Conference on
12-15 Nov. 2002 Page(s):206 - 215
[AbstractPlus](#) | Full Text: [PDF](#)(387 KB) IEEE CNF
- ☐ 5. **TCP startup performance in large bandwidth networks**
Ren Wang; Pau, G.; Yamada, K.; Sanadidi, M.Y.; Gerla, M.;
INFOCOM 2004. Twenty-third Annual Joint Conference of the IEEE Computer and Communications Societies
Volume 2, 7-11 March 2004 Page(s):796 - 805 vol.2
[AbstractPlus](#) | Full Text: [PDF](#)(686 KB) IEEE CNF



Welcome United States Patent and Trademark Office

[Search Results](#)
[BROWSE](#)
[SEARCH](#)
[IEEE XPLORE GUIDE](#)

Results for "(((cache or buffer) and threshold and proxy)<in>metadata)"

Your search matched 3 of 1235066 documents.

e-mail

A maximum of 100 results are displayed, 25 to a page, sorted by Relevance in Descending order.

» Search Options

[View Session History](#)

Modify Search

[New Search](#)

»

☐ Check to search only within this results set

» Key

Display Format: ☒ Citation ☐ Citation & Abstract

IEEE JNL IEEE Journal or Magazine

IEE JNL IEE Journal or Magazine

IEEE CNF IEEE Conference Proceeding

IEE CNF IEE Conference Proceeding

IEEE STD IEEE Standard

Select Article Information



1. Measurement based intelligent prefetch and cache technique in Web
 Zheng Zhao; Jie Yang; Song Wang; Gang Zhang; Yantai Shu;
 Electrical and Computer Engineering, 1999 IEEE Canadian Conference on
 Volume 1, 9-12 May 1999 Page(s):168 - 173 vol.1
 Digital Object Identifier 10.1109/CCECE.1999.807190
[AbstractPlus](#) | Full Text: [PDF](#)(432 KB) IEEE CNF



2. On optimal replication of data object at hierarchical and transparent Web
 Xiaohua Jia; Deying Li; Hongwei Du; Cao, J.;
 Parallel and Distributed Systems, IEEE Transactions on
 Volume 16, Issue 8, Aug. 2005 Page(s):673 - 685
 Digital Object Identifier 10.1109/TPDS.2005.94
[AbstractPlus](#) | Full Text: [PDF](#)(624 KB) IEEE JNL



3. Intelligent proxy techniques in plasma physics laboratories
 Yantai Shu; Gang Zhang; Zheng Zhao; Jie Yang; Song Wang;
 Real Time Conference, 1999. Santa Fe 1999. 11th IEEE NPSS
 14-18 June 1999 Page(s):338 - 341
 Digital Object Identifier 10.1109/RTCON.1999.842637
[AbstractPlus](#) | Full Text: [PDF](#)(360 KB) IEEE CNF


[Help](#) [Contact Us](#) [Privacy & :](#)

© Copyright 2005 IEEE --

 Indexed by